Linco Actinmix

DESCRIPTION AND COMPOSITION:

The combination of lincomycin and spectinomycin acts as an additive and in some cases synergistic. Spectinomycin acts bacteriostatic or bactericidal, depending on the dose, against mainly Gram-negative bacteria like Campylobacter, E. coli and Salmonella spp. Lincomycin acts bacteriostatic against mainly Gram-positive bacteria like Mycoplasma, Treponema, Staphylococcus and Streptococcus spp. Cross-resistance of lincomycin with macrolides can occur.

Product type: Feed additive

Content: Lincomycin 22g and Spectinomycin 22g / kg

TARGET SPECIES:

Swine.

INDICATIONS:

Pigs: Control and treatment of swine dysentery, enteritis, complicated or mixed enteric infections, and ileitis. An aid in the control of mycoplasmal (enzootic) pneumonia. Treatment of MMA syndrome of bacterial origin in sows.

ROUTE OF ADMINISTRATION:

Oral, in feed

WITHDRAWAL PERIODS:

Poultry – 72 hours (not to be used in laying birds)
Swine – 2 days

DOSAGE:

Enteric disease: Control: 1kg to 2kg of Linco Actinmix / ton of feed over period of risk. Treatment: 2kg / ton of feed for 3 weeks or until the clinical signs disappear. Control of mycoplasmal pneumonia: 1kg to 2kg of Linco Actinmix / ton of feed, feed daily throughout the period of risk. Treatment of MMA: 1kg to 2kg of Linco Actinmix/ ton of feed for 5 to 10 days prior to farrowing and 2 to 3 weeks post-farrowing.



SHELF LIFE:	PACK SIZE:
3 years	25kg

FEED ADDITIVES

Antibiotics

Manufacturer:
RANGE PHARMA SDN. BHD.
No.1, Jalan TSB 11, Taman Industri Sg. Buloh,
47000 Sg. Buloh, Selangor, Malaysia.

Tel: (603) 6156 8708
Fax: (603) 6156 8707
Email: info@rangepharma.com
Website: www.rangepharma.com